

Agromet Advisory Bulletin for the Nagaipattinam District

(From 20th January 2024 to 24th January 2024)



Date: 19.01.2024

Issued jointly by Tamil Nadu Rice Research Institute Aduthurai and IMD

Bulletin no: 06/2024

Weather Summary for the period since the issue of last bulletin no. 05 (16.01.2024) for Tamil Nadu: Nagaipattinam district

Maximum temperature of 30 °C, minimum temperature of 21 - 23 °C, was recorded in Nagai pattinam district.

Weather forecast for next five days (20.01.2024 to 24.01.2024)

Past week Summary 16.01.2024 to 18.01.2024			Parameters	Ensemble weather forecast valid until 08.30 hr of 24.01.2024				
Day-1	Day-2	Day-3	Date	Day-1	Day-2	Day-3	Day-4	Day-5
16/01	17/01	18/01		20/01	21/01	22/01	23/01	24/01
0	0	0	Rainfall (mm)	1	1	0	0	2
30	30	30	Max. Temp. (°C)	30	30	30	30	30
23	21	23	Min. Temp. (°C)	24	24	24	23	23
2	1	5	Cloud cover	2	4	6	3	5
63-64	87-76	90-76	RH I-II (%)	90-70	90-70	80-60	80-60	70-60
2	4	6	Wind (kmph)	16	16	14	14	12
North East	North	North East	Wind direction	North East	North East	East North East	East North East	East North East

Weather Summary and forecast for Nagaipattinam district

According to district level forecast issued by India Meteorological Department for Nagaipattinam district, the sky will be moderate cloudy. Light drizzling expected on 20.01.2024, 21.01.2024 and 24.01.2024. Maximum temperature is expected to be around 30 °C and minimum temperature is expected to be around 23 - 24 °C. Morning relative humidity is expected to be around 70 - 90 percent and evening relative humidity is expected to be around 60 - 70 percent. Average wind speed is expected to be around 12 – 16 km per hour. The wind direction will be north east.

Agro Advisory

Crop	Stage	Advisory			
Ger	neral	Farmers are requested to download and utilize the agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).			
Rice	Harvest	In samba paddy field, it is right time to sow the rice fallow pulses. ADT 3, ADT 6 blackgram and ADT 3 green gram varieties are suitable under rice fallow condition.			
Coconut	Bearing	To reduce the button shedding under this weather condition, feed the			
Coconuc	Stage	roots with 200 ml of coconut tonic per palm.			
	_	Due to cool night temperature, the livestock particularly the young			
Cattle	Cow	ones should be kept under shelter with heating arrangements to			
		prevent the incidence of pneumonia.			

SMS advisory

Farmers are advised to properly dry and store the matured Samba paddy which affected during the heavy unusual rainfall.

Director TRRI, Aduthurai