26/12/2023, 15:05 District Advisory



Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin

Tamil Nadu Agricultural University, Coimbatore, Tamil Nadu



Agromet Advisory Bulletin

Date: 26-12-2023

Weather Forecast of District TIRUCHIRAPPALLI(Tamil Nadu) Issued On: 2023-12-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-12-27	2023-12-28	2023-12-29	2023-12-30	2023-12-31
Rainfall(mm)	0.0	2.0	2.0	2.0	0.0
Tmax(°C)	30.0	31.0	30.0	29.0	29.0
Tmin(°C)	23.0	22.0	22.0	22.0	21.0
RH-I(%)	90	80	90	90	80
RH-II(%)	60	70	70	60	60
Wind Speed(kmph)	12	12	16	14	14
Wind Direction(Degree)	50	50	50	50	50
Cloud Cover(Octa)	4	7	8	8	6

Weather Summary/Alert:

Rainfall is expected for 3 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (86.0% & 64.0%), 30.0°C and 22°C respectively. The rainy clouds may appear. Expected average wind speed is 14 kmph. The Wind is expected to flow in Northeast direction.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week

SMS Advisory:

To know the precaution of thunder and lightning, download DAMINI app and use it wisely

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
BLACK GRAM	For blackgram spray pulse wonder 2kg/acre in 200 litres of water with adequate quantity of wetting agent at the stage of peak flowering. Benefits: Decreases flower shedding, Increases yield up to 20 per cent and Increases drought tolerance.

Horticulture Specific Advisory:

26/12/2023, 15:05 District Advisory

Horticulture (Stage)	Horticulture Specific Advisory		
COCONUT	Coconut Tonic: Root feeding of the tonic @ 200 ml / palm twice a year at six months interval. Benefits: Increases chlorophyll content and greenness of leaves, Improves photosynthetic efficiency of leaves, Decreases button shedding, Increases number and size of nuts, Increases nut yield up to 20 per cent, Increases longevity and vigour of the palm, Imparts resistance to pests, diseases and environmental stresses.		
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.		

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory		
I(\(\(\) \(\) \(\)	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.		