

# Agromet Advisory Bulletin for the Chennai District Bulletin no. 76/2023 Issued on 22.09.2023 (23.09.2023-27.09.2023)

## Issued jointly by



# Tamil Nadu Veterinary and Animal Sciences University & India Meteorological Department

#### Weather Summary for the period since the issue of last bulletin for Chennai.

During past four days around Chennai area, the sky was mostly clear. Maximum temperature was 35.0-36.0°C and Minimum temperature was 24.0-27.0°C. Wind speed was 04-06 km per hour. Relative humidity was recorded between 72-93 %.

Past week Summary (18.09.2023-21.09.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 27.09.2023				
18.09.2023 19.09.2023 20.09.2023 21.09.2023				Date	23.09.2023	23.09.2023 24.09.2023 25.09.2023 26.09.2023 27.09			
25.6	0.0	0.0	3.7	Rainfall (mm)	3	17	5	3	3
35	35	35	36	Max. Temp. (° C)	34	33	33	33	33
26	24	27	25	Mini. Temp. (° C)	28	27	27	26	26
76	81	72	93	Maximum RH	80	90	80	80	80
76	72	73	76	Minimum RH	50	50	50	50	50
Partly	Partly	Partly	Partly	Cloud cover	Partly	Partly	Partly	Partly	Partly
cloudy	cloudy	cloudy	cloudy	Octa	cloudy	cloudy	cloudy	cloudy	cloudy
South	South	South	South	Wind	South	South	South	South	South
East	East	East	East	direction					
5	6	6	4	Wind speed Kmp	18	12	14	16	16

Weather Summary for Chennai district

## Weather forecast for next five days: (23.09.2023-27.09.2023)

According to district forecast issued by the India Meteorological Department for Chennai district, sky will be mostly clear. Maximum temperature is expected to be around 33.0-34.0°C. Minimum temperature is expected to be around 26.0-28.0°C. Morning relative humidity is expected to be around 80-90 per cent and evening relative humidity is expected to be around 50 per cent. Wind speed is expected to be around 12-18 km per hour and the wind direction will be from South.

#### **SMS Advisory:**


(23.09.2023-24.09.2023) Heavy rain is likely to occur at isolated places over Tirupattur and Krishnagiri districts of Tamilnadu.

### Livestock Advisory

- 1. Since moderate rain is forecasted in the fourth coming week farmers are advised to tether livestock in the inside sheds, to prevent from rain water drenching.
- 2. The livestock must be provided with clean wholesome drinking water all round the clock.
- 3. To counteract over occurance of infection during rainy season pregnant goat (adult goat) must be provided with vitamin and mineral supplementation
- 4. Higher air temp and relative humidity will pre dispose the rabbit to respiratory distress; to prevent this rabbitory must be maintained damp free.
- 5. To prevent the ammonia accumulation there must be in the Pig house, good ventilation
- 6. The livestock should be given diping ones in two month to prevent exoparasitic infestation
- 7. The chicks must be given artificial heat (1 watt / chick or coal brooder for every 200 chicks for first 2 weeks of age)



# Agromet Advisory Bulletin for the Thiruvannamalai District Bulletin no. 76/2023 Issued on 22.09.2023 (23.09.2023-27.09.2023)





# Tamil Nadu Veterinary and Animal Sciences University & India Meteorological Department

### Weather Summary for the period since the issue of last bulletin for TVMalai.

During past four days around TVMalai area, the sky was mostly clear. Maximum temperature was 34.0-35.0°C and Minimum temperature was 23.0-25.0°C. Wind speed was 04-08 km per hour. Relative humidity was recorded between 65-95 %.

Past week Summary (18.09.2023-21.09.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 27.09.2023				
18.09.2023 19.09.2023 20.09.2023 21.09.2023				Date	23.09.2023	24.09.2023	25.09.2023	26.09.2023	27.09.2023
28.8	4.6	4.6	24.0	Rainfall (mm)	10	6	8	6	14
35	34	34	34	Max. Temp. (° C)	31	30	30	30	29
24	23	25	25	Mini. Temp. (° C)	25	24	24	24	23
83	81	80	95	Maximum RH %	80	80	80	80	80
84	65	94	73	Minimum RH	50	50	50	50	50
Partly	Partly	Partly	Partly	Cloud cover	Partly	Partly	Partly	Partly	Partly
cloudy	cloudy	cloudy	cloudy	Octa	cloudy	cloudy	cloudy	cloudy	cloudy
South East	South	North East	South South East	Wind direction	South South West	West	South West	South South West	West
8	8	4	5	Wind speed Kmp	8	8	8	6	8

# Weather Summary for TVMalai district

#### Weather forecast for next five days: (23.09.2023-27.09.2023)

According to district forecast issued by the India Meteorological Department for TVMalai district, sky will be mostly clear. Maximum temperature is expected to be around 29.0-31.0°C. Minimum temperature is expected to be around 23.0-25.0°C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 50 per cent. Wind speed is expected to be around 06-08 km per hour and the wind direction will be from West.

#### **SMS Advisory:**

(23.09.2023-24.09.2023) Heavy rain is likely to occur at isolated places over Tirupattur and Krishnagiri districts of Tamilnadu.

#### **Livestock Advisory:**

- 1. Since moderate rain is forecasted in the fourth coming week farmers are advised to tether livestock in the inside sheds, to prevent from rain water drenching.
- 2. The livestock must be provided with clean wholesome drinking water all round the clock.
- 3. To counteract over occurance of infection during rainy season pregnant goat (adult goat) must be provided with vitamin and mineral supplementation

- 4. Higher air temp and relative humidity will pre dispose the rabbit to respiratory distress; to prevent this rabbitory must be maintained damp free.
- 5. To prevent the ammonia accumulation there must be in the Pig house, good ventilation
- 6. The livestock should be given diping ones in two month to prevent exoparasitic infestation
- 7. The chicks must be given artificial heat (1 watt / chick or coal brooder for every 200 chicks for first 2 weeks of age)

# Agricultural advisory

#### Rice:

Harvest the matured paddy crops and store in safe places.

Provide drainage facility to the nursery field and avoid fertilizer application, any kind of spray

#### Groundnut:

Harvest the matured groundnut crops and store in safe places.

#### Coconut:

To control rhinoceros beetle in rainy season, setup Rhino lure pheromone trap @ 2 traps/acre.

#### Banana:

High wind speed (>10 kmph) is expected on forthcoming days, so prop up 5 month old banana trees.

.



# Agromet Advisory Bulletin for the Villupuram District Bulletin no. 76/2023 Issued on 22.09.2023 (23.09.2023-27.09.2023)

# Issued jointly by



# Tamil Nadu Veterinary and Animal Sciences University & India Meteorological Department

#### Weather Summary for the period since the issue of last bulletin for Villupuram.

During past four days around Villupuram area, the sky was mostly clear. Maximum temperature was 33.0-35.0°C and Minimum temperature was 23.0-27.0°C. Wind speed was 02-05 km per hour. Relative humidity was recorded between 77-94 %.

Past week Summary (18.09.2023-21.09.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 27.09.2023				
18.09.2023	19.09.2023	20.09.2023	21.09.2023	Date	23.09.2023	24.09.2023	25.09.2023	26.09.2023	27.09.2023
13.6	0.6	0.6	0.0	Rainfall (mm)	5	5	8	4	14
33	33	35	35	Max. Temp. (°C)	34	33	33	33	32
23	24	26	27	Mini. Temp. (° C)	27	26	26	26	25
94	90	82	90	Maximum RH	90	80	80	80	80
83	81	80	77	Minimum RH	40	40	40	40	40
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South East	East South East	South East	South East	Wind direction	South	South South West	South	South	South South West
5	4	4	2	Wind speed Kmp	16	10	10	12	8

## Weather Summary for Villupuram district

#### Weather forecast for next five days: (23.09.2023-27.09.2023)

According to district forecast issued by the India Meteorological Department for Villupuram district, sky will be mostly clear. Maximum temperature is expected to be around 32.0-34.0°C. Minimum temperature is expected to be around 25.0-27.0°C. Morning relative humidity is expected to be around 80-90 per cent and evening relative humidity is expected to be around 40 per cent. Wind speed is expected to be around 08-16 km per hour and the wind direction will be from South South West.

#### **SMS Advisory:**

(23.09.2023-24.09.2023) Heavy rain is likely to occur at isolated places over Tirupattur and Krishnagiri districts of Tamilnadu.

#### Livestock Advisory:

- 1. Since moderate rain is forecasted in the fourth coming week farmers are advised to tether livestock in the inside sheds, to prevent from rain water drenching.
- 2. The livestock must be provided with clean wholesome drinking water all round the clock.
- 3. To counteract over occurance of infection during rainy season pregnant goat (adult goat) must be provided with vitamin and mineral supplementation

- 4. Higher air temp and relative humidity will pre dispose the rabbit to respiratory distress; to prevent this rabbitory must be maintained damp free.
- 5. To prevent the ammonia accumulation there must be in the Pig house, good ventilation
- 6. The livestock should be given diping ones in two month to prevent exoparasitic infestation
- 7. The chicks must be given artificial heat (1 watt / chick or coal brooder for every 200 chicks for first 2 weeks of age)

## Agricultural advisory

#### Rice:

Due to prevailing weather condition possible for thrips infestation in paddy crop. To manage them, spray thiamethoxam 8.0g/ for 20 cent of nursery field. In transplanted field spray Azadiractin 400 ml/acre or thiamethoxam 40 g/ac. Due to prevailing weather condition leaf folder and stem borer infestation is found in paddy crop. To manage them, spray carbosulfan 400 ml/ac or cartap hydrochloride 600 g/ac during morning or evening hours.

## Groundnut:

Due to prevailing weather conditions possible for thrips infestation in groundnut crop. To control spray quinalphos 25 EC 560 ml/ac. Due to prevailing weather conditions possible for leaf miner infestation in groundnut crop. To control set light trap @ 1/ha between 8 and 11 pm at ground level and spray quinalphos 25 EC 560 ml/ac.

#### Maize:

Maize growing farmers the fall army worm infection apply neem cake @ 250 kg/ha (farmer contribution)

Seed treatment with cyantraniliprole 19.8% + thiamethoxam 19.8 FS @ 4.0 ml/kg seed Border cropping with gingelly or cowpea or sorghum

Installation of pheromone traps @ 12 nos./ha

Spraying of chlorantraniliprole 18.5 SC @ 0.4 ml/l (or) flubendiamide 20 WG (0.5 g/l) at 15-20 days of emergence (DAE)

Application of ememectin benzoate 5 SG (0.4 g/l) or spinetoram 11.7 SC (0.5 ml/l) at 35-40 DAE at late whorl stage and 60 DAE.



# Agromet Advisory Bulletin for the Kancheepuram District Bulletin no. 76/2023 Issued on 22.09.2023 (23.09.2023-27.09.2023)

# Issued jointly by



# Tamil Nadu Veterinary and Animal Sciences University & India Meteorological Department

#### Weather Summary for the period since the issue of last bulletin for Kancheepuram.

During past four days around Kancheepuram area, the sky was mostly clear. Maximum temperature was 33.0-36.0°C and Minimum temperature was 25.0-27.0°C. Wind speed was 02-07 km per hour. Relative humidity was recorded between 61-91%.

Past week Summary (18.09.2023-21.09.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 27.09.2023				
18.09.2023	19.09.2023	20.09.2023	21.09.2023	Date	23.09.2023	24.09.2023	25.09.2023	26.09.2023	27.09.2023
8.1	0.0	0.0	12.3	Rainfall (mm)	9	16	7	3	7
33	35	35	36	Max. Temp. (°C)	34	33	33	32	32
25	25	27	25	Mini. Temp. (° C)	27	26	25	25	25
80	79	76	91	Maximum RH %	80	90	80	80	80
73	61	65	65	Minimum RH	50	50	50	40	50
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South East	South	East North East	North	Wind direction	South	South South West	South South West	South	South South West
6	7	6	2	Wind speed Kmp	16	10	10	12	8

## Weather Summary for Kancheepuram district

#### Weather forecast for next five days: (23.09.2023-27.09.2023)

According to district forecast issued by the India Meteorological Department for Kancheepuram district, sky will be mostly clear. Maximum temperature is expected to be around 32.0-34.0°C. Minimum temperature is expected to be around 25.0-27.0°C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 40-50 per cent. Wind speed is expected to be around 08-16 km per hour and the wind direction will be from South South West.

## **SMS Advisory:**

(23.09.2023-24.09.2023) Heavy rain is likely to occur at isolated places over Tirupattur and Krishnagiri districts of Tamilnadu.

## Livestock Advisory:

- 1. Since moderate rain is forecasted in the fourth coming week farmers are advised to tether livestock in the inside sheds, to prevent from rain water drenching.
- 2. The livestock must be provided with clean wholesome drinking water all round the clock.
- 3. To counteract over occurance of infection during rainy season pregnant goat (adult goat) must be provided with vitamin and mineral supplementation
- 4. Higher air temp and relative humidity will pre dispose the rabbit to respiratory distress; to prevent this rabbitory must be maintained damp free.
- 5. To prevent the ammonia accumulation there must be in the Pig house, good ventilation
- 6. The livestock should be given diping ones in two month to prevent exoparasitic infestation
- 7. The chicks must be given artificial heat (1 watt / chick or coal brooder for every 200 chicks for first 2 weeks of age)

## Agricultural advisory

#### Rice:

The forecasted weather may cause leaf folder infestation in rice crop. The farmers are advised to monitor the field, if symptoms are observed it's advised to spray Chlorantraniliprole 18.5% 150 ml/ha.

#### Groundnut:

To increase flower retention , pod filling and to induce drought tolerance apart from yield improvement , 2 sprays of groundnut rich @ 2 kg / acre( for each spray) at 35 DAS (50 % flowering ) and 45 DAS (pod development stage). To provide adequate drainage facility in lowland areas.

#### Brinjal:

Due to day temperature sucking pest incidence may be increase. To control this, spray imidachloprid 0.3 ml/ litre. To provide adequate drainage facility in lowland areas.

#### **Coconut:**

To control red palm weevil in coconut, apply neem seed kernel powder + sand (1:2) @150 g per palm in the base of the 3 inner most leaves in the crown. To control rhinoceros beetle, setup Rhino lure pheromone trap @ 2 traps/acre. To provide adequate drainage facility in lowland areas.