# Tamil Nadu Agricultural University



India Meteorological Department Agromet Advisory Bulletin for the Tiruppur District Bulletin No.032/2024 Issued on 18.04.2024 (From 19<sup>th</sup> April 2024 to 23<sup>st</sup> April 2024) Issued jointly by Agro Climate Research Centre, TNAU and IMD



#### Past Weather for Tamil Nadu District

Weather Summary for the period since the issue of last bulletin 031 (16.04.2024) for Tamil Nadu. Maximum temperature ranged from 34°C to 39°C and minimum temperature ranged from 25°C to 28°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 20°C to 28°C and minimum temperature ranged from 11°C to 15°C. During this period occurred rainfall was recorded in Tamil Nadu.

#### **Tiruppur District Past Weather**

In Tiruppur district, during 16.04.2024 to 17.04.2024 the Maximum temperature was recorded was 37°C and the minimum temperature was 25°C to 26°C. The morning relative humidity recorded was 78 per cent and evening relative humidity was 28 per cent. The average wind speed recorded was 08-15 km per hour and the wind direction were from East direction.

| Past week Summary<br>(16.04.2024 to 17.04.2024) |                | Ensemble weather forecast valid until<br>08.30 hrs of 23.04.2024 |                |                |                |                |                |  |
|---|----------------|--|----------------|----------------|----------------|----------------|----------------|--|
| Day-1<br>16/04                                  | Day-2<br>17/04 | Date   | Day-1<br>19/04 | Day-2<br>20/04 | Day-3<br>21/04 | Day-4<br>22/04 | Day-5<br>23/04 |  |
| 0.0   | 0.0            | Rainfall   | 0              | 3              | 1              | 0              | 0              |  |
| 37  | 37             | Max. Temp. (° C)   | 40             | 39             | 39             | 40             | 40             |  |
| 25  | 26             | Mini. Temp. (° C)  | 26             | 25             | 25             | 25             | 26             |  |
| 5   | 5              | Cloud cover (Octa)   | 1              | 4              | 3              | 0              | 2              |  |
| 78  | 53             | RH morning (%)   | 60             | 60             | 60             | 60             | 60             |  |
| 28  | 31             | RH evening (%)   | 20             | 30             | 20             | 20             | 20             |  |
| 8   | 15             | Wind (kmph)  | 14             | 16             | 12             | 10             | 10             |  |
| 50  | 70             | Wind Direction   | 250            | 250            | 230            | 250            | 160            |  |

## Weather Summary for Tiruppur district

## Weather forecast for next five days: (19.04.2024 to 23.04.2024)

According to district forecast issued by the India Meteorological Department for Tiruppur district, sky will be clear. Light rainfall expected on 20.04.2024 & 21.04.24. Maximum temperature is expected to be around 39°C to 40°C. Minimum temperature is expected to be around 25°C to 26°C. Morning relative humidity is expected to be around 60 per cent and evening relative humidity is expected to be around 20 per cent. Average wind speed is expected to be around 10-16 km per hour and the wind direction will be from South West direction.

| Tiruppur District Block Wise Rainfall(mm) for next five days |          |            |              |          |          |              |         |          |          |          |           |          |            |
|--|----------|------------|--------------|----------|----------|--------------|---------|----------|----------|----------|-----------|----------|------------|
| Date   | Avinashi | Dharapuram | Gudimangalam | Kangeyam | Kundadam | Madathukualm | Mulanur | Palladam | Pongalur | Tiruppur | Udumalpet | Uthukuli | Vellakovil |
| 19-04-2024   | 0.0      | 0.0        | 1.0          | 0.0      | 0.0      | 2.0          | 0.0     | 0.0      | 0.0      | 0.0      | 2.0       | 0.0      | 0.0        |
| 20-04-2024   | 1.0      | 1.0        | 2.0          | 0.0      | 1.0      | 3.0          | 0.0     | 1.0      | 1.0      | 1.0      | 4.0       | 0.0      | 0.0        |
| 21-04-2024   | 0.0      | 0.0        | 0.0          | 0.0      | 0.0      | 0.0          | 0.0     | 0.0      | 0.0      | 0.0      | 1.0       | 0.0      | 0.0        |
| 22-04-2024   | 0.0      | 0.0        | 0.0          | 0.0      | 0.0      | 0.0          | 0.0     | 0.0      | 0.0      | 0.0      | 0.0       | 0.0      | 0.0        |
| 23-04-2024   | 0.0      | 0.0        | 0.0          | 0.0      | 0.0      | 0.0          | 0.0     | 0.0      | 0.0      | 0.0      | 0.0       | 0.0      | 0.0        |

# Agro Advisory

| Crop       | Stage        | Advisory  |
|------------|--------------|---|
| General    |              | Drizzling to light rainfall is expected along the western Ghat areas with |
|            |              | wind speed of 8-14 km/hr. Rising temperature may bring summer rain        |
|            |              | during afternoon hours with lightening and thunders.                      |
|            |              | Irrigation may be done based on soil moisture and apply crop residue      |
|            |              | mulches to all irrigated crops to maintain sufficient soil moisture.      |
|            |              | Plan for summer ploughing against the slope with soil inverting type      |
|            |              | ploughs.  |
| Sugarcane  | Vegetative   | Since continuous dry weather prevailed in some parts of the district is   |
|            |              | favourable for the early shoot borer attack in sugarcane hence farmers    |
|            |              | are requested to do irrigation frequently and do mulching if rain is not  |
|            |              | occurred.   |
| Vegetables | Vegetative & | Prevailing dry weather is faovurable for the mite attack in vegetables.   |
| Bhendi     | Flowering    | Hence monitor the crop and if needed spray dicofol @ 2.5 ml or            |
|            |              | wettable sulphur @ 3.5 gm per liter of water                              |
| Tapiaco    | Vegetative   | Prevailing dry weather situation is favorable for spiraling white fly in  |
|            |              | tapioca and hence farmers are requested to monitor the crop carefully     |
|            |              | and keep yellow sticky trap in 5 to 6 places / ac or spray prefenophos    |
|            |              | @2ml or Acephate @ 2gm/ liter of water.                                   |

| Coconut             | Summer rains during next two months may be harvested in root zone<br>of coconut by deepening the tree basin with inward slopes. Till then,<br>ensure to provide 100 liters of water per tree per day to maintain the<br>productivity.  |
|---------------------|--|
| Animal<br>Husbandry | Increasing temperature and decreasing relative humidity may cause<br>discomfort to the animals. Hence, provide clean water to both animals<br>and poultry.To avoid the heat stress to animals feed the animal during night or<br>early morning or late evening hours.Summer rains may occur as thunder storm during the afternoon hours.<br>Safeguard the animals. |

#### SMS advisory

Continuous dry weather is favourable for the early shoot borer in sugarcane, hence do irrigation frequently and do mulching if rain is not occurred.

Professor and Head Principal Nodal Officer (GKMS) Agro Climate Research Centre