Tamil Nadu Agricultural University



India Meteorological Department Agromet Advisory Bulletin for the Tiruppur District Bulletin No.005/2024 Issued on 16.01.2024 (From 17thJanuary 2024 to 21stJanuary2024) Issued jointly by Agro Climate Research Centre, TNAU and IMD



Past Weather for Tamil Nadu District

Weather Summary for the period since the issue of last bulletin 004 (12.01.2024) for Tamil Nadu. Maximum temperature ranged from 29°C to 32°C and minimum temperature ranged from 21°C to 26°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 18°C to 23°C and minimum temperature ranged from 4°C to 10°C. During this period isolated rainfall was recorded in Tamil Nadu.

Tiruppur District Past Weather

In Tiruppur district, during 12.01.24 to15.01.24 the Maximum temperature was recorded was 30°C to 31°Cand the minimum temperature was 19°C to 21°C. The morning relative humidity recorded was 90 per cent and evening relative humidity was 38 per cent. The average wind speed recorded was 4-11 km per hour and the wind direction were from East direction.

Past week Summary (12.01.2024 to 15.01.2024)				Ensemble weather forecast valid until 08.30 hrs of 21.01.2024					
Day-1 12/01	Day-2 13/01	Day-3 14/01	Day-4 15/01	Date	Day-1 17/01	Day-2 18/01	Day-3 19/01	Day-4 20/01	Day-5 21/01
0.0	0.0	0.0	0.0	Rainfall	0	0	0	0	0
30	30	30	31	Max. Temp. (° C)	31	31	30	30	31
19	19	21	21	Mini. Temp. (° C)	21	21	20	21	21
4	4	5	5	Cloud cover (Octa)	0	2	0	0	1
84	84	90	87	RH morning (%)	80	90	80	80	80
51	48	44	38	RH evening (%)	40	40	30	30	30
11	6	7	4	Wind (kmph)	8	8	10	10	10
50	90	90	90	Wind Direction	90	90	90	90	110

Weather Summary for Tiruppur district

Weather forecast for next five days: (17.01.2024 to 21.01.2024)

According to district forecast issued by the India Meteorological Department for Tiruppur district, sky will becloudy. Dry weather is expected on next five days. Maximum temperature is expected to be around 30°C to 31°C. Minimum temperature is expected to be around 20°C to 21°C. Morning relative humidity is expected to be around 90 per cent and evening relative humidity is expected to be around 30 per cent. Average wind speed is expected to be around 8-10 km per hour and the wind direction will be from East direction.

Tiruppur District Block Wise Rainfall(mm) for next five days													
Date	Avinashi	Dharapuram	Gudimangalam	Kangeyam	Kundadam	Madathukualm	Mulanur	Palladam	Pongalur	Tiruppur	Udumalpet	Uthukuli	Vellakovil
13-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Agro Advisory

Crop	Stage	Advisory
General		Dry days are expected during next week with wind speed of 6 -10
		km/hr in western zone districts.Irrigation may be done based on soil moisture and apply crop residue mulches to all irrigated crops to maintain sufficient soil moisture.By utilizing the dry days complete the harvest of samba paddy, pulses and millets at harvesting stage.
Rice	Harvest, Flowering and planting	By utilizing the dry days complete the harvest of samba paddy which is at harvesting stage. To increase setting percentage in rice under prevailing cold temperature, spray 2% DAP to rice which is around in flowering. In assured irrigated areas, Navarai season rice planting may be initiated with wet and dry method of irrigation.
Sugarcane	Planting	Under prevailing weather conditions planning may done to plant early season sugarcane as earliest possible, in order to harvest higher productivity

Chillies	Vegetative	Prevailing weather condition is favorable for the powdery mildew			
		disease in chilies. Spray Wettable sulphur 3 g/lit or Carbendazim 1			
		g/lit, 3 sprays at 15 days interval from the first appearance of			
		symptom.			
Turmeric	vegetative	Prevailing weather condition is also favorable for the blotch			
		incidence in turmeric. Hence farmers are request to monitor the crop			
		and spray mancozeb @ 2.5 g/liter of water.			
Animal		Sodium hydroxide may be used as disinfectant (200 gm in 10 liter of			
Husbandry		water) for foot and mouth disease in cattle's shed and the wounds of			
		the infected animal may be treated with neem oil with turmeric			
		powder.			

SMS advisory

By utilizing the prevailing weather early season sugarcane may be planted as earliest possible to harvest higher productivity

> Professor and Head Principal Nodal Officer (GKMS) Agro Climate Research Centre