

Tamil Nadu Rice Research Institute - Aduthurai

&

India Meteorological Department
Agromet Advisory Bulletin for the Karur District
Bulletin No.01/2025 Issued on 01.04.2025

(From 02nd April 2025 to 06th April 2025) Issued jointly by TRRI, Aduthurai and IMD



Karur District Past Weather

In Karur district, during 28.03.2025 to 31.03.2025 the Maximum temperature was recorded $38-39\,^{\circ}\text{C}$ the minimum temperature was $23-25\,^{\circ}\text{C}$. The morning relative humidity recorded was 80 per cent and evening relative humidity was 40 per cent. The average wind speed recorded was 8-10 km per hour and the wind directions were from east direction.

Weather forecast for next five days: (02.04.2025 to 06.04.2025)

Past Week Summary (28.03.2025 to 31.03.2025)				Parameters	Ensemble weather forecast valid until 16.30 hrs of 06.04.2025				
Day-1 28/03	Day-2 29/03	Day-3 30/03	Day-4 31/03	Date	Day-1 02/04	Day-2 03/04	Day-3 04/04	Day-4 05/04	Day-5 06/04
0.0	0.0	0.0	0.0	Rainfall. (mm)	0	2	4	22	23
38	39	39	38	Max. Temp. (°C)	36	35	34	33	32
25	24	23	24	Mini. Temp. (°C)	25	26	25	24	23
6	3	2	5	Cloud cover (Octa)	7	7	6	8	8
80	76	76	78	RH morning (%)	70	80	80	80	80
33	26	33	40	RH evening (%)	40	50	40	40	40
8	9	8	10	Wind (kmph)	14	14	4	6	6
East	East	East	East	Wind Direction	East South East	East South East	South South West	South South East	North East

Weather Summary for Karur district

According to district forecast issued by the India Meteorological Department for Karur district, sky will be clear. Light to moderate rainfall expected on 03.04.2025 to 06.04.2025. Maximum temperature is expected to be around 32 - 36 °C. Minimum temperature is expected to be around 23 - 26 °C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 50 per cent. Average wind speed is expected to be around 6 - 14 km per hour and the wind directions will be from east south east direction.

Agro Advisory

Ge	eneral	Farmers are advised to provide adequate drainage facilities to light rainfall link the drainage channel with farm ponds towards efficient water drainage besides the rain water storage. Since dry weather is expected in next five days, irrigate the sesame, sugarcane and rice fallow cotton crops.		
		Since temperature is increasing, apply mulches to conserve soil moisture. Summer ploughing is also beneficial.		
Pulses		Since temperature is increasing, sucking pest may increases in pulses. If needed spray 5% Neem Seed Kernel Extract.		
Coconut		Inward basin may be formed around the coconut trees to catch the summer rain water in root zone.		
Cattle	Cow	During summer, tick infestation flares up in all livestock. This might cause anemia & makes up way for various disease occurrences. The animal will be dull & depressed, difficulty in feed intake. Mix 3ml of butox in 1 litre of water and wash the animals with damp cloth.		

SMS advisory

Farmers are advised to provide adequate drainage facilities to light rainfall link the drainage channel with farm ponds towards efficient water drainage besides the rain water storage.

Director, TRRI, Aduthurai